


BILL TO:	<h1 style="margin:0;">ALLVIEW PLUS</h1> <small>Elegance Meets Green</small>	SHIP TO:
Acct. # _____ Ph: _____		Ph: _____

Shutters are custom made. This order is not subject to cancellation or change	CUSTOMER SIGNATURE _____	Window Size Order Form Date _____ Tel: 800.737.4569 • Fax: 323.727.6891 • Email: orders@uspolymersinc.com	P.O.# / SIDEMARK _____
---	--------------------------	---	------------------------

LINE #	QTY	Room	1	2	3	4	5	6	7		8		9	10	11	12	13	14	15	16		17	
			Color	Louver Size	Mount Type	Shutter Type	Frame Type	No of Sides	SIZE W - Window Size F - Frame to Frame		No. of PANELS Folding Direction		Dividing Rail or Split Tilt	Dividing Rail or Split Tilt Rod Position	Add Front Tilt	Frame Built Out 1"	Custom Hinge	Mount Magnets	Corner Group	T-Post from Left to Center of T-Post		Window Side by Side	
			White Swiss	3" 4"	IN OUT	SF BP TP FD TK	ST DS TR EL EX ZF SL TK	4W 4S 3W 3D 2W CW 1W 1D	W F	Width	Height	Left	Right	D S	(Y) or Position	(Y)	(Y)	Brass Steel	Y or N	Left Right	TP1	TP2	Y or N
1																							
2																							
3																							
4																							
5																							
6																							
7																							
8																							
9																							
10																							

SPECIAL INSTRUCTIONS For larger sizes, more styles & options, order matching SmartView.

<input type="checkbox"/> T-Post - Draw Panels TP Line# _____ <div style="text-align: center; margin-top: 10px;">  </div>	<input type="checkbox"/> Custom Frames - Specify Frames Custom Frames Line# _____ <div style="text-align: center; margin-top: 10px;"> CW T L R B _____ </div>
--	--

1. Colors	WoodTex Finish: W -White S -Swiss Coffee			10. Dividing Rail or Split Tilt Rod Position	(Y) = Split point will be located to evenly divide the panel. Position = Split point will be placed as close as possible to indicated height (from bottom of shutter to mid-point of louver).	
2. Louver Size	3" 4"			11. Add Front Tilt Rod	AllViewPlus shutters are always built with the AllViewPlus Rear Tilter to give the maximum view possible. This is a standard feature of the shutter at no extra charge. If you would like to add a tilt rod in the front, mark (Y) Yes in this box. A \$5 surcharge per shutter will apply.	
3. Mount Type	IN - Inside mount OUT - Outside mount			12. Frame Build Out	Used to project shutters 1" forward when louvers need clearance to operate. i.e. mounting beyond molding, to clear door handles or mounting a standard shutter on sliding door. For Track Shutters, an extended bracket is supplied.	
4. Shutter Type	SF - Standard Folding TP - T-Post BP - Bi Pass Slider FD - French Door BT - Bi Pass with Btm Track TK - Track Shutter More shutters type available in Smart View			13. Custom Hinge	For Custom hinges, specify B for BRASS or S for STAINLESS STEEL hinges.	
5. Frame Type	Outside Mount: ST - Std L Frm DS - Designer Frame TK - Track SL - Slimline Frame HS - Hanging Strip	Inside Mount: TR - Trim Z Frame EL - Elegance Z Frame ZF - Z Frame ST - Std L HS - Hanging Strip TK - Track	French Door : SL - Slimline Frame ST - Std Frame	Sliders: EX - Extended Frame ED - Extended Frame w/ Deco Valance TK - Track	14. Mount Magnets	Upgraded recessed magnets are pre-mounted onto shutters if marked (Y) Yes in this box. There is a \$5/charge for pre-mounting magnet.
6. No. Of Frame Sides	4W 4-Sided Frame for window (<i>outside or inside mounts</i>) 4S 4-Sided Frame for Sill (<i>Sill Plate on btm</i>) 4A 4-Sided Frame for Sunburst Arches with Standard Frame on top to accommodate Arch 3W 3-Sided Frame for windows (used for windows with crank on bottom or with Sill) 3D 3-Sided Frame for doors 2W 2-Sided Frame for windows (used for café style shutters) CW Custom Frame configuration in any L & Z frames. Draw in special instructions 1W, 1S, 1D Use with Track for Window, Sill or Door			15. Corner Group	For Corner windows, a pair of shutters can be marked as Corner Group Left and Right. Order as window size and the factory will make all the deductions and frame design needed.	
7. Size	Provide width and height and indicate whether they are window opening size or Frame to Frame size. Wide Openings use T-Posts. Ensure mounting clearances around window or inside window jamb for proper installation of frame. * Max sizes: See reference guide for details.			16. T-POST Location	Distance from left point of given size to center of T-Post1 & T-Post2. Draw folding direction of T-Post panels below. Window Size - From Left of window to Center of T-Post. Frame Size - From Left Frame to Center of T-Post.	
8. Panel Configuration	Panel Configuration - Note # of panels folding Left (L) and Right (R) based on the opening width and folding direction desired. Maximum Shutter Widths: Single Panel L or R 2 Panels LR Bi-Fold LL or RR 4Panels 29" + Frame 58" + Frame 44" + Frame 88" + Frame			17. Window Side by Side	To ensure rails are the same size, make sure heights are the same for all next to each other shutters	
9. Dividing Rail or Split Tilter	Indicate if placement number(s) in column 10 are for Divider Rail or for Tilt Rod Split. Shutters over 62" tall must have 1 Divider Rail or Tilt Rod Split. Track Shutters do not have side frames and will overlap wall. Track Shutters over 62" require Split Tilter or Divider Rail.					

AllView Plus Pricing (All pricing is based on outside of frame to outside of frame sizes)

I. Ordering By Shutter Frame to Shutter Frame Size:					
Outside Mount Frames only (give outside of frame to outside of frame size)					
		Width	x Height	/144	x \$/sqft
No Frame, Panels only					
		Width	x Height	/144	x \$/sqft
II. Ordering By Window Size:					
Outside Mount Frames -					
	Standard L Frame and Extended Frame	4 Sided	Width + 4"	x Height + 4"	/144 x \$/sqft
		3 Sided	Width + 4"	x Height + 2"	/144 x \$/sqft
	Designer Frame	4 Sided	Width + 5"	x Height + 5"	/144 x \$/sqft
		3 Sided	Width + 5"	x Height + 2.5"	/144 x \$/sqft
	Hanging Strip (<i>Strip behind panel on wrap around hinge</i>)	4 Sided	Width + 3"	x Height + 3"	/144 x \$/sqft
		3 Sided	Width + 3"	x Height + 1.5"	/144 x \$/sqft
	Slimline Frame (<i>French Door Only</i>)	4 Sided	Width + 2.5"	x Height + 2.5"	/144 x \$/sqft
Inside Mount Frames -					
	Z Frame	4 Sided	Width + 1.5"	x Height + 1.5"	/144 x \$/sqft
		3 Sided	Width + 1.5"	x Height + .75"	/144 x \$/sqft
		2 Sided	Width + 1.5"	x Height	/144 x \$/sqft
	Trim Z Frame	4 Sided	Width + 3"	x Height + 3"	/144 x \$/sqft
		3 Sided	Width + 3"	x Height + 1.5"	/144 x \$/sqft
		2 Sided	Width + 3"	x Height	/144 x \$/sqft
	Elegance Z Frame	4 Sided	Width + 4"	x Height + 4"	/144 x \$/sqft
		3 Sided	Width + 4"	x Height + 2"	/144 x \$/sqft
		2 Sided	Width + 4"	x Height	/144 x \$/sqft
	Standard Frame	4,3,2 Sided	Width	x Height	/144 x \$/sqft
	Hanging Strip (<i>Strip behind panel on wrap around hinge</i>)	4,3,2 Sided	Width	x Height	/144 x \$/sqft