

1. Colors	Standard Colors W -White S -Swiss Coffee	Specialty Colors* (1 week longer lead time + surcharge) O -Off White* PW -Pearl* EW -Eider White* AG -Agreeable Gray*		
2. Louver Size	ThermaCore Louver (T) 3" or 4"	SolidCore Louver (S) 3 ½" or 4 ½"		
3. Tilt Rod	Front –Front Tilt	Back -Tilt in Back – (Offset)	RFV -(Rear Full View) -Hidden Tilt	
4. Mount Type	IN - Inside Mount	OUT - Outside Mount		
5. Shutter Type	SF - Standard Folding BF - Bi-Fold Slider BP - Bypass Slider BT - Bypass with Bottom Track	DH - Double Hung FD - French Door AR - Arch Top Shutter (Draw diagram) TP - T-Post	ARTP- Arch Top T-Post FC - French Door Cutout (Refer to manual for more details)	DB - Double Bypass for 3" and 3 ½" louvers only
6. Frame Type	Outside Mount: ST - Standard L Frame FLST - Flat Standard L Frame DF - Designer Frame HS - Hanging Strip EX - Extended Frame STX - Standard Extended Frame SL - Slimline Frame	Inside Mount: ZF - Z Frame FLZ - Flat Z Frame DZ - Deco Z Frame EL - Elegance Z Frame ST - Standard L Frame HS - Hanging Strip NF - No Frame (Net Panels)	French Door: SL - Slimline Frame ST - Standard Frame FLST - Flat Standard Frame STX - Standard Extended	Sliders: EX - Extended Frame ED - Extended Frame with Deco Valance
7. No of Frame Sides	4W 4-Sided Frame for window (outside or inside mounts) 4AS 4-Sided Frame for Sill (Top & Bottom Sil Plate) 4S 4-Sided Frame for Sill (Sill Plate or sill frame on bottom) 3W 3-Sided Frame for windows (used for windows with crank on bottom or with Sill) 3D 3-Sided Frame for doors 4A 4-Sided Flat Top for arch 2W 2-Sided Frame (For café style shutters) CW Custom Frame configuration in any L & Z frames. Use with arches. Draw in Special Instructions section. NF-HG No frame w/hinges. Panels Only with attached hinges (Use Frame Size Measurement Option) NF-NHG No frame, no hinges. Panels Only no hinges attached (Use Frame Size Measurement Option)			
8. Size	Provide width and height and indicate whether they are window opening size or Frame to Frame size. Wide Openings use T-Posts. Ensure mounting clearances around window or inside window jamb for proper installation of frame. * Max sizes: See reference guide for details			
9. Panel Configuration	Note # of panels folding Left (L) and Right (R) based on the opening width and folding direction desired. Maximum Panel Widths:			
	(1) Single Panel L or R 36" + Frame	(2) 2 Panels LR 72" + Frame	(3) Bi-Fold LL or RR 52" + Frame	(4) 4 Panels LLRR 104" + Frame
10. Divider Rail or Split Tilt Rod	Indicate if Placement number(s) in column 10 are for (D) Divider Rail or for (S) Split Tilt Rod.			
11. Divider Rail(s) or Split Tilt Rod Position(s)	Shutters over 72" tall must have 1 divider rail. Shutters over 96" must have 2. Rails will be placed as close as possible to indicated height (from bottom of window to midpoint of rail). If no height is indicated, rail(s) will be located to evenly divide the panel. Split point will be placed as close as possible to indicated height (from bottom of shutter to mid-point of louver). C (Center) - If no height is indicated, split point will be located to evenly divide the panel.			

12. Frame Spacer	Used to project shutters 1" forward when louvers need clearance to operate. i.e. mounting beyond molding, to clear door handles or mounting a standard shutter on sliding door.		
13. Astragal	Special Stiles with Astragal where panels meet.		
14. Hinge Color	Shutter Color (1)	Default Hinge Color (14)	Custom Hinge Color (14)
	W- White	W- White	AB- Antique Brass BL- Black BP- Brass Plated OB- Oil Rubbed Bronze SS- Stainless Steel
	S- Swiss Coffee O- Off White	O- Off White	
	PW- Pearl EW- Eider White	AL- Almond	
	AG- Agreeable Gray	NS- Nickel Satin	
15. Mount Magnets	Upgraded recessed magnets are pre-mounted onto shutters if marked (Y) Yes in this box.		
16. Corner Group	For Corner windows, a pair of shutters can be marked as Corner Group Left and Right. Order as window size and the factory will make all the deductions and frame configurations needed.		
17. T-POST Location	Distance from left point of given size to center of T-Post1 & T-Post2. Draw folding direction of T-Post panels below. Window Size - From Left of window to Center of T-Post. Frame Size - From Left Frame to Center of T-Post.		
18. Window Side by Side	To ensure rails are the same size, make sure heights are the same for all next to each other shutters.		

ShutterSMART Pricing (All pricing is based on outside of frame to outside of frame size)

I. Ordering By Shutter Frame to Frame Size:					
Give outside of frame to outside of frame size			Width	x Height	/144 x \$/sqft
No Frame, Panels only			Width	x Height	/144 x \$/sqft
II. Ordering By Window Size:					
Outside Mount Frames -	Standard L Frame, Extended Frame, Flat ST	4 Sided	Width + 4"	x Height + 4"	/144 x \$/sqft
		3 Sided	Width + 4"	x Height + 2"	/144 x \$/sqft
	Designer Frame	4 Sided	Width + 5"	x Height + 5"	/144 x \$/sqft
		3 Sided	Width + 5"	x Height + 2.5"	/144 x \$/sqft
	Hanging Strip (<i>Strip behind panel on wrap around hinge</i>)	4 Sided	Width + 3"	x Height + 3"	/144 x \$/sqft
		3 Sided	Width + 3"	x Height + 1.5"	/144 x \$/sqft
	Slimline Frame (<i>French Door Only</i>)	4 Sided	Width + 2.5"	x Height + 2.5"	/144 x \$/sqft
	Z Frame	4 Sided	Width + 1.5"	x Height + 1.5"	/144 x \$/sqft
Inside Mount Frames -		3 Sided	Width + 1.5"	x Height + .75"	/144 x \$/sqft
		2 Sided	Width + 1.5"	x Height	/144 x \$/sqft
	Trim Z Frame & Flat Z Frame	4 Sided	Width + 3"	x Height + 3"	/144 x \$/sqft
		3 Sided	Width + 3"	x Height + 1.5"	/144 x \$/sqft
	Elegance Z Frame	2 Sided	Width + 3"	x Height	/144 x \$/sqft
		4 Sided	Width + 4"	x Height + 4"	/144 x \$/sqft
		3 Sided	Width + 4"	x Height + 2"	/144 x \$/sqft
	Standard L Frame, Flat Standard Frame	4,3,2 Sided	Width	x Height	/144 x \$/sqft
	Hanging Strip (<i>Strip behind panel on wrap around hinge</i>)	4,3,2 Sided	Width	x Height	/144 x \$/sqft