BILL TO: Acct. # Ph: Email:					Shutter SHIP TO: Thermacore Solidcore					:															
Shutters are custom made. This order is not subject to cancellation or change						Window Size Order Form Date: Tel: 800.737.4569 Fax: 323.727.6891 Email: orders@uspolymersinc.com							P.	P.O.# / SIDEMARK											
Qty		1 Color	Lo	2 ouver Size	3 Tilt- Rod	4 Mount Type	5 Shutter Type	6 Frame Type	7 No of Sides		8 SIZE W - Window F - Frame to	Size	No. of Fol	9 PANELS ding ction	10 Dividing Rail or Split Tilt	Dividing or Split Tilt Ro	L Rail(s)	12 Frame Build- out 1"	13 Astragal	14 Hinge Color	15 Mount Magnet	16 Corner Group	1 T-Post Left cent T-P	from to er of	18 Window Side by Side
		W- White S- Swiss Cof O- Off-white PW- Pearl* EW- Eider V AB- Agreeal Gray*	fee 4" e* 33 White* 43	(T) ½" (S) ½" (S)	Front- Tilt Back- Offset RFV- Hidden Tilt	IN OUT	SF BF BP BT TP DH FD FC AR	ST FLST DS TR HS EX ZF FLZ EL SL ED STX NF	4W 4S 3W 3D 4A 2W CW NF 4AS	W F	Width	Height	Left	Right	D S	1 st (Y)	2nd (Y)	YorN	YorN	W O AL NS AB BP OB SS BL	Y or N	Left Right	TP1	TP2	YorN
S	PECIAL INSTRUCTION	NS	<u> </u>	l				I	ı	1					l				1						
Line #				Slin	French Door Oval Cut Out				rame On	Rectangle Cut Out me Only				Arch Top - Window Size Note: HL - Left Height: HR - Right Height: HC - Center Height											
TP1 (TP2) CW T L R B				³⁄4" C	4" Optional Offset Cutout Center Height				3/11	%" Optional Offset Cutout Center Height					Arch Line# ### HL HC (Opening Height)			HR							
Special Instructions:				Cuto	H= Hattut Size W H				Cut	H= Cutout Size W				Arch Line#				-							
							Note: Standard L Frame will have built in 7/8" back plate offset. Cutout Depth D = 4 ½"						Ш		HL HC HR (Opening Height)										

	3" or 4"	3 ½" or 4 ½"									
3. Tilt Rod	Front –Front Tilt	Back - Tilt in Back - (Offset)	RFV -(Rear Full View) - Hidd	en Tilt							
4. Mount Type	IN - Inside Mount	OUT - Outside Mount	1 , ,								
5. Shutter Type	SF - Standard Folding	DH - Double Hung	FC - French Door Cutout	DB - Double Bypass							
7, -	BF - Bi-Fold Slider	FD - French Door	(Refer to manual for more	for 3" and 3 ½"							
	BP - Bypass Slider	AR - Arch Top Shutter (Draw diagram)	details)	louvers only							
	BT - Bypass with Bottom Track	TP - T-Post	·	·							
6. Frame Type	Outside Mount:	Inside Mount:	French Door:	Sliders:							
••	ST - Standard L Frame	ZF - Z Frame	SL - Slimline Frame	EX - Extended Frame							
	FLST - Flat Standard L Frame	FLZ - Flat Z Frame	ST - Standard Frame	ED - Extended Frame							
	DF - Designer Frame	DZ - Deco Z Frame	FLST - Flat Standard Frame	with Deco Valance							
	HS - Hanging Strip	EL - Elegance Z Frame	STX - Standard Extended								
	EX - Extended Frame	ST - Standard L Frame									
	STX - Standard Extended Frame	HS - Hanging Strip									
	SL - Slimline Frame	NF - No Frame (Net Panels)									
7. No of Frame Sides	4W 4-Sided Frame for window (outside or inside mounts)										
	4AS 4-Sided Frame for Sill (Top &	*									
	4S 4-Sided Frame for Sill (Sill Pla										
		used for windows with crank on bottom	or with Sil)								
	3D 3-Sided Frame for doors										
	4A 4-Sided Flat Top for arch										
	2W 2-Sided Frame (For café style shutters)										
	CW Custom Frame configuration in any L & Z frames. Use with arches. Draw in Special Instructions section. NF No Frame, Panels only (Use Frame Size measurement option)										
8. Size		licate whether they are window opening	sino ex Franco to Franco sino								
8. 3126	ū .	re mounting clearances around window opening		oper installation of							
	frame.	re mounting clearances around window t	of inside window jamb for pr	oper installation of							
	* Max sizes: See reference guide fo	or details									
9. Panel Configuration		nd Right (R) based on the opening width	and folding direction desired								
0	Maximum Panel Widths:	0 1, ,									
	Single Panel L or R	2 Panels LR	Bi-Fold LL or RR	4 Panels LLRR							
	36" + Frame	72" + Frame	52" + Frame	104" + Frame							
10. Divider Rail or	Indicate if Placement number(s) in	column 10 are for (D) Divider Rail or for (S) Split Tilt Rod.								
Split Tilt Rod											
11. Divider Rail(s)	Shutters over 72" tall must have 1 divider rail. Shutters over 96" must have 2. Rails will be placed as close as possible to										
or Split Tilt Rod Position(s)	indicated height (from bottom of window to midpoint of rail).										
	If no height is indicated, rail(s) will be located to evenly divide the panel.										
	Split point will be placed as close as possible to indicated height (from bottom of shutter to mid-point of louver).										
		as possible to indicated neight (from both will be located to evenly divide the par		or louver).							

12. Frame Spacer	Used to project shutters 1" forward when louvers need clearance to operate. i.e. mounting beyond molding, to clear door handles or mounting a standard shutter on sliding door.								
13. Astragal	Special Stiles with Astragal where panels meet.								
14. Hinge Color	Shutter Color (1)	Default Hinge Color (14)	Custom Hinge Color (14)						
	W- White	W - White	AB- Antique Brass						
	S- Swiss Coffee	O- Off White	BL- Black						
	O- Off White		BP- Brass Plated						
	PW- Pearl	AL- Almond	OB- Oil Rubbed Bronze						
	EW- Eider White		SS- Stainless Steel						
	AG- Agreeable Gray	NS- Nickel Satin							
15. Mount Magnets	Upgraded recessed	graded recessed magnets are pre-mounted onto shutters if marked (Y) Yes in this box.							
16. Corner Group			ked as Corner Group Left and Right. the deductions and frame configurations needed.						
17. T-POST Location	Distance from left point of given size to center of T-Post1 & T-Post2. Draw folding direction of T-Post panels below.								
	Window Size - From Left of window to Center of T-Post.								
	Frame Size - From Left Frame to Center of T-Post.								
18. Window Side by Side	To ensure rails are the	he same size, make sure height	s are the same for all next to each other shutters.						

ShutterSMART Pricing (All pricing is based on outside of frame to outside of frame size)

. Ordering By Shutter Frame to Fra	me Size:					
Give outside of frame to outside			Width	x Height	/144	x \$/sqft
No Frame, Panels only			Width	x Height	/144	x \$/sqft
. Ordering By Window Size:						
Outside Mount Frames -	Standard L Frame, Extended Frame, Flat ST	4 Sided 3 Sided	Width + 4" Width + 4"	x Height + 4" x Height + 2"	/144 /144	x \$/sqft x \$/sqft
	Designer Frame	4 Sided	Width + 5"	x Height + 5"	/144	x \$/sqft
	-	3 Sided	Width + 5"	x Height + 2.5"	/144	x \$/sqft
	Hanging Strip (Strip behind panel on wrap around hinge)	4 Sided	Width + 3"	x Height + 3"	/144	x \$/sqft
		3 Sided	Width + 3"	x Height + 1.5"	/144	x \$/sqft
	Slimline Frame (French Door Only)	4 Sided	Width + 2.5"	x Height + 2.5"	/144	x \$/sqft
Inside Mount Frames -	Z Frame	4 Sided	Width + 1.5"	x Height + 1.5"	/144	x \$/sqft
		3 Sided	Width + 1.5"	x Height + .75"	/144	x \$/sqft
		2 Sided	Width + 1.5"	x Height	/144	x \$/sqft
	Trim Z Frame & Flat Z Frame	4 Sided	Width + 3"	x Height + 3"	/144	x \$/sqft
		3 Sided 2 Sided	Width + 3" Width + 3"	x Height + 1.5" x Height	/144 /144	x \$/sqft x \$/sqft
	Elegance Z Frame	4 Sided	Width + 4"	x Height + 4"	/144	x \$/sqft
		3 Sided	Width + 4"	x Height + 2"	/144	x \$/sqft
	Standard L Frame, Flat Standard Frame	4,3,2 Sided	Width	x Height	/144	x \$/sqft
	Hanging Strip (Strip behind panel on wrap around hinge)	4,3,2 Sided	Width	x Height	/144	x \$/sqft